

THE DIAGNOSTIC WAXUP



Duplicates of the pre-op models are made to use as reference.



The models are prepared to the proposed reduction and duplicated for reference.



The waxup is duplicated after completion.



A vacuform mould is made from a duplicate of the waxup to use as prep guide intraorally.



Clear PVS impression(s) are made from the waxup for provisionals.



The PVS impression is filled with your provisional material of choice.



Seat the PVS impression with provisional material.



Trim off any excess flash with a rotary instrument or scalpel. Polish as desired.



Finished provisionals

ESTHETIC WAX-UP CHECK LIST

Patient _____

Date _____

Tooth Numbers	Type of Restoration

1. Final central incisor size to be: Length____mm. Width____mm.
2. Move the midline yes/no _____mm Right _____mm Left
3. Modify free gingival line yes/no _____mm apically on Teeth

4. Smile Guide # _____.
5. Horizontal plane. _____Idealize based on mounted models
_____Leave canted as seen in study models
6. Occlusal plane. _____Idealize based on central incisal edge to 2nd molar buccal cusp
_____Leave as is.
7. Vertical dimension. _____ Leave as is
_____Open vertical to _____mm (CEJ #9-CEJ #24)
8. Buccal corridor. _____Build out to idealize
_____Leave as is.
9. Photos included: _____Face _____1:2 Smile _____1:2 Retracted ___Occlusal



Devoted to Superiority
Phone #(714) 529-9792

Photography Check List

Successful anterior cases are based on good communication between the Dentist and the Laboratory.

This picture list focuses on the consistency of photographic views required for a successful anterior case.

The type and quality of the camera is not important. What is very important is taking all the photos as shown on this photo guide.

Please follow this guide as well as our Esthetic Checklist printed on our lab slips when submitting your next case.



Pre-op full face



Pre-op smile



Pr-op with desired shade



Preps



Frontal view provisionals

April 2004



Right lateral provisionals



Left lateral provisional



Full face provisionals